



### EE 10 Pin 16A Heavy Duty Connector Male Insert



OUKERUI is a leading China EE 10 Pin 16A Heavy Duty Connector Male Insert manufacturer, supplier and exporter. With the pursuit of perfect product quality, our EE 10 Pin 16A Heavy Duty Connector Male Insert has satisfied many customers.

Extreme design, quality raw material, high performance and competitive price are what every customer wants and we can provide that too. unbeatable design high quality raw materials high efficiency And competitive price is what every customer wants. and we can deliver

## Product Description

As a professional high quality EE 10 Pin 16A Heavy Duty Connector Male Insert manufacture, you can rest assured to buy EE 10 Pin 16A Heavy Duty Connector Male Insert Characteristic High temperature resistant, conductive electrical signal transmission automation and machinery from our factory and we will provide you with the best after-sales service and timely delivery.

### Product Description

EE 10 Pin 16A Heavy Duty Connector Male Insert is a Heavy Duty Connector manufacturer with TUV audit. We also have CE, UL, EAC certified high performance connectors. ISO quality management system. Patent configuration, easy installation, quick installation. Personalized interfaces for different scenarios. High quality raw material guarantee. Create more environmentally friendly products.

### Basic Info.

Model NO.	HZW-HEE-010-MC
Contacts Surface Treatment	Silver/Gold Plated
Housing Material	Die-Casting Aluminum Alloy
Working Environments	IP65 for Various Harsh Environments



Contact Cost	Pay Additional Cost for Crimp Contacts
Specification	CE, UL, ROHS
Origin	China
Production Capacity	3000pieces Per Day
Certification	UL
Contact Material	Copper
Housing Coating	Anti-Corrosion Powder Spray
Crimp Tooling	Available
Transport Package	Poly bag and Double Cartons
Trademark	Oukerui
HS Code	8536900000

#### SPECIFICATION

Model No.	HZW-HEE-010-MC
Terminal type	Crimp Terminal
Housings material	Dia casting aluminum alloy
Working Voltage	500V
Rated Impulse Voltage	6KV
International protection(IP) grade	IP65
Flammability	V0
Mechanical Life Span	Min 500 times
Warranty	1 Year
Gender type	Male
Contacts' surface processing	Silver or Gold Plated
Mounting type	Bulkhead/Surface/ cable to cable
Insert Block	Top grade PC
Working Current	16A
Temperature Bearing Range	-40°C~+125°C




Pollution Degree	3
Transport packing	Carton

**SPECIFICATION OF CONTACT**

Material	Copper Alloy
Terminal	Screw/Crimp Terminal
Surface Treatment	Silver/Gold Plated
Wire Gauge	0.14-4.0mm <sup>2</sup> (AWG26-14)
Stripping length	7.5mm

EE 10 Pin 16A Heavy Duty Connector Male Insert are extensively used in equipment that require electrical and signal connections, such as mold machinery, construction machinery, textile machinery, transportation technology, electric energy, electric locomotives and so on various need electrical and petrochemical equipment.





上壳  
Hoods



母插体  
Female insert




公插体  
Male insert




下壳  
Housings







● 开孔安装/Bulkhead mounting  
侧面进线/Side entry




● 开孔安装/Bulkhead mounting  
顶部进线/Top entry




● 表面安装/Surface mounting  
顶部进线/Top entry



● 表面安装/Surface mounting  
侧面进线/Side entry



● 电缆对接/Cable to Cable  
侧面进线/Side entry



● 电缆对接/Cable to Cable  
顶部进线/Top entry